



Cartabianca







erba




- Struttura:** struttura in legno, molleggio seduta con cinghie elastiche, ricoperta con poliuretano espanso indeformabile TL/40, T30/S, rivestita con fibra poliestere 350 gr/mq. Piedi in acciaio cromo satinato opaco.
- Structure:** *wooden frame, springing system with elastic webbing, padded with non-deformable polyurethane foam TL/40, T 30/S and covered with polyester fibre 350 gr/ m². Steel feet with satin chrome finish.*
- Cuscino sedile:** imbottitura in piumafill: 50% piuma d'oca + 50% fibra di poliestere HCS.
Seat cushion: *filled with piumafill : 50% natural goose feather + 50% polyester fibre HCS.*
- Cuscino schienale:** imbottitura in piuma d'oca vergine + rullo in poliuretano espanso indeformabile T 30/C.
Back cushion: *filled with natural goose feather + a non-deformable polyurethane foam cylinder T30/C.*
- Cuscino opzionale:** imbottitura in piuma d'oca vergine.
Optional cushion: *natural goose feather filled cushion.*
- Rivestimenti:** il modello è realizzabile in tessuto o pelle.
Covers: *covers can be made with fabric or leather.*

POLIURETANO ESPANSO SENZA C.F.C.
POLYURETHANE FOAM C.F.C. FREE



-  Poliuretano T 30/C (2,7 kPa)
Polyurethane T 30/C (2,7 kPa)
-  Piuma d'oca vergine
Natural goose feather
-  Poliuretano T 30/S (3,5 kPa)
Polyurethane T30/S (3,5 kPa)
-  Poliuretano TL/40 (6,6 kPa)
Polyurethane TL/40 (6,6 kPa)
-  Struttura legno
Wooden frame
-  Piede
Feet



CB 1 225/89"
CB 2 255/100"



110/43"



40
16"




CB 8
110/43"




CB 9
60 x 60
20 x 20"



CB 3 - CB 4 195/77"




CB 5
110 x 110
43" x 43"




CB 6
110 x 110
43" x 43"

CB 10 305/120"




305
120"




CB 7
110 x 220
43" x 87"

CB 11 305/120"




95
77"

CB 12



CB 13 255/100"



305
120"

CB 14

