


## PRESENTING THE WARDROBE PROGRAMME


### SWING DOOR WARDROBE




HEIGHTS:	MODULES:
- 2256	- 425
- 2384	- 475
- 2544	- 575
- 2896	- 875
	- 975
	- 1175
	- Corner
	- End

## PRESENTING THE WARDROBE PROGRAMME


### COPLANAR SLIDING DOOR WARDROBE



HEIGHTS:	MODULES:
- 2256	- 875 _1 door W. 909
- 2384	- 975 _1 door W. 1009
- 2544	- 1175 _1 door W. 1209
	- 1325 _1 door W. 1399
	- 1475 _1 door W. 1509





### SLIDING DOOR WARDROBE



HEIGHTS:	MODULES:
- 2256	- 725 _1 door W. 770
- 2384	- 875 _1 door W. 920
- 2544	- 975 _1 door W. 1020
	- 1175 _1 door W. 1220
	- 1325 _1 door W. 1370
	- 1475 _1 door W. 1520
	- Corner

# GLASS\_SWING DOOR




## TECHNICAL FEATURES

The Glass door is composed of:  
 – a 21 mm thick particleboard panel with a low formaldehyde content with a 4 mm thick lacquered glass panel or mirror glued onto it with matt lacquered aluminium profiles.

**N.B.: NOT AVAILABLE FOR CORNER MODULE  
 NOT AVAILABLE WITH A LOCK**

## CROSS-SECTION



## FRONTS



Mirror



Bronzo mirror



Grigio mirror

## FRAME



matt lacquer

## basic lacquered glass



gloss bianco lacquered glass



matt bianco lacquered glass

## lacquered glass in palette colours



gloss palette colour glass




matt palette colour glass

## DOOR DIMENSIONS

DOOR TYPES		H. 2256	H. 2384	H. 2544	H. 2896
Swing	W. 450	●	●	●	—
	W. 500	●	●	●	—
	W. 600	●	●	●	—

## FULL-LENGTH GRIP EDGE INCORPORATED IN THE FRAME





IF PAIRS OF SWING DOORS ARE FITTED ADJACENT TO EACH OTHER WE ADVISE AGAINST USING A HANDLE ON BOTH DOORS

- = AVAILABLE
- = NOT AVAILABLE

**CUSTOM-SIZING IS NOT POSSIBLE**


# SLIDING\_GLASS DOOR




## FRONTS



## basic lacquered glass



## lacquered glass in palette colours



## DOOR DIMENSIONS


DOOR TYPES	H. 2256	H. 2384	H. 2544	H. 2896
Sliding	* W. 770	●	●	●
	W. 920	●	●	●
	W.1020	●	●	●
	W.1220	—	—	—
	W.1370	—	—	—
	W.1520	—	—	—

## TECHNICAL FEATURES

The Glass door is composed of:  
 – a 21 mm thick honeycomb-core panel with 4 mm thick lacquered or mirrored glass panels glued onto it with a matt lacquered aluminium frame.

\* = THE W. 770 SLIDING DOOR CANNOT BE FITTED WITH THE SOFT-CLOSE MECHANISM

## CROSS-SECTION



## FRAME



## FULL-LENGTH GRIP EDGE INCORPORATED IN THE FRAME

- = AVAILABLE
- = NOT AVAILABLE

CUSTOM-SIZING IS NOT POSSIBLE